
## **Product Specifications**

Model	External (mm)					Drawer's Internal Dimension (mm)			Nett
	(A) Height	(B) Width	(C) Depth	(D) Clear depth over furniture	(E) Furniture Projection	(F) Height	(G) Width	(H) Depth	weight (Kg)
5102/5202	839	551	824	1480	40	292	387	645	210
5103/5203	1206	551	824	1480	40	292	387	645	310
5104/5204	1573	551	824	1480	40	292	387	645	390






A Chubbsafes cabinet in the furnace showing its resistance to temperatures over 1000C for upto 2 hours.



"This product is classified to UL Standards and requirements by Underwriters Laboratories Inc." UL 72 Class 350



### ...

4 Drawers RPF Cabinet

comes with Individual Locking

- Chubbsafes Policy is one of constant improvement and we reserve the right to vary in detail the description and specification contained in this publication without incurring any obligation.
- These products are designed primarily to provide protection against fire and impact for paper documents. For recommended storage of computer-based media, ask for details of Chubbsafes Data Cabinet. For protection againsts physical attacks, ask for details of Chubbsafes' safes.





Key Lock

#### **Keyless Combination Lock**

Secured by one 3-wheel Keyless Combination Lock listed under UL Group 2, CEN Env 1300 Class B, A2P Class CNPP B/E\_14, Vds M102362/ Class 2/08. Capable of 1,000,000 changes of code. The operation of this lock is simple. The code can be changed easily.






5100 Series - 1 hour fire rated

5200 Series - 2 hour fire rated

### UL - 72 Class 350 Fire Endurance Test



As the cabinet is affected by heat for a much longer time, the testing period can actually take up to 24 hours.

# Testing in Compliance to UL 72 Class 350

## **Fire Endurance Test**

The RPF Cabinet is placed inside a furnace and heated to 927°C for 1 hour (5100 series) and 1010°C for 2 hours (5200 series) and is left to 'soak-out' to simulate an 'after fire' environment. The Cabinet has been designed to limit the internal temperature to not more than 177°C.







Chubbsafes Record Protection Filing Cabinets provide fire protection for any paper based documents in the event of a severe fire. It is tested and certified to the Underwriters Laboratories test standard UL 72 Class 350 (Fire Endurance Test) for paper protection against fire.



# RPF Cabinet 5000 Series

record protection filing cabinets

## **Features**

- Body The Body has an overall thickness of 57mm insulated with Chubbsafes patented PCDE fire resistant material. Proofing materials used are also asbestos-free, reliable, stable, well aerated and will not deteriorate with age.
- Drawer The drawer is constructed with an overall thickness of 56mm. The proofing material is identical to the material used in the body of the cabinet. Each drawer is also suspended on full extension rails with bearings for durability and for ease of use. The drawers have been designed to fit most paper hoist and box files.
- Locking The Chubbsafes RPF cabinet comes in 2 locking variants:
- Central Locking One 3-wheel keyless combination lock and one key lock on the top drawer; controlling all drawers.

- Individual Locking One 3-wheel keyless combination lock and key lock on the top drawer; controlling all drawers. In addition, there is one key lock on each subsequent drawer for individual locking.
- Available in two versions:
  i) 5100 series (1 hour fire rated)
  ii) 5200 series (2 hour fire rated)
  Both series are in compliance to UL 72 Class 350 (Fire Endurance Test) which represents one of the highest and most stringent test currently used to evaluate record protection equipment.
- **Finish** A scratch resistant Polyurethane based finish.



